Avoiding and Controlling Your Asthma Triggers



Using the tool on the following pages, find the triggers that cause your symptoms. Then, decide which of the tips provided might work best for you. Some can be done right away, and others take planning. Use the "My Solutions" area to write down your own ideas and your personal plan for taking action.

Asthr	na Trigger and Control Tips	My Solutions	
□ Sn	□ Smoking and Secondhand Smoke		
	Make a plan to quit smoking! Get help by calling 1-800-LUNGUSA or visiting www.ffsonline.org .		
	Ask others not to smoke near me.		
	Do not allow anyone to smoke in my home, car or work area.		
	Avoid the homes and cars of people who do allow smoking.		
	Patronize smokefree businesses; or if smoking is allowed, eat or sit in nonsmoking areas.		
	Avoid the designated smoking area at work.		
	Support local efforts for making all public places smokefree. (Learn more at www.Lung.org . Search for Lung Action Network.)		
□ W	ood Smoke and Fires		
	Avoid burning wood indoors.		
	Allow for airflow around fireplaces or vented appliances.		
	Pay attention to air quality forecasts during wildfires and avoid going outside if air pollution levels are poor.		
□ Outdoor Air Pollution			
	Check the air quality index (AQI) forecast daily. The color-coded system will let me know when pollution levels are unhealthy.		
	Limit time and exercise/strenuous activities outdoors when the AQI is orange (unhealthy); and avoid outdoor activities when the AQI is red, purple or maroon.		
	Always avoid exercising around high-traffic areas.		
	Download the American Lung Association State of the Air app at www.stateoftheair.org to check the AQI anytime from my smartphone.		

☐ Dust and Dust Mites		
	Cover my mattress, box spring and pillows in dust-proof, zippered cases.	
	Wash all bedding (sheets, blankets, bedcovers) in hot water (130°F) weekly.	
	Use washable area rugs in the bedroom instead of carpet.	
	Wash curtains often.	
	Maintain indoor humidity between 30 to 50 percent.	
	Use air conditioner or dehumidifier to lower humidity in my bedroom and home (and clean humidifiers regularly).	
	Dust (damp cloth) and vacuum twice a week. Use a vacuum with a HEPA filter or a central vacuum that vents outside.	
	NOTE: If you have a dust mite allergy, you should not vacuum yourself or be in a room that is being vacuumed.	
	Avoid upholstered furniture, especially in the bedroom.	
	Store out-of-season clothes in a box or garment bag.	
	Wear a protective face mask in dusty areas at work.	
□ Cockroaches		
	Take out the trash every day.	
	Keep food in sealed containers.	
	Clean up spills and crumbs right away.	
	Clean up standing water in dish racks, sinks, showers and plant saucers.	
	Don't leave pet food out.	
	Use roach baits (but not sprays or foggers!).	
	Seal openings where bugs can get in (outside faucets, holes, around window seals).	
□ Pets, Animal Dander		
	Avoid animals with fur or feathers.	
	Do not let pets inside my home.	
	Keep the pet I have out of my bedroom.	

□ M	old and Mildew	
	Keep my home well ventilated and free of dampness.	
	Fix leaks right away.	
	Clean mildew from tiles and shower curtains with detergent or soap.	
	Use an exhaust fan or open a window to get rid of moisture in bathrooms and kitchens.	
	Clean the water basins of air conditioners, humidifiers and refrigerators often.	
	Limit the number of plants in my home and work area. (Mold likes soil.)	
	Vent the clothes dryer to the outside.	
	Alert management to mold problems at work.	
□ Pollen		
	Do not keep fresh flowers with a lot of pollen inside my home or near my work area.	
	Keep doors and windows closed during pollen season, especially during the day.	
	Run my air conditioner unit one half-hour before I plan to use a room.	
	After being outside for a long time, take a shower and change clothes when I come inside on high pollen and mold count days.	
	Limit outdoor activities when pollen levels are high.	
	rong Odors (e.g., hairspray, air fresheners, cleaning oducts)	
	Use unscented products.	
	Ask those living or working around me not to use scented products.	
	Avoid areas with strong smells when possible.	
	Use a fan when I must be near a strong odor.	
	Keeps smells from spreading by closing off areas where the odor is located.	

□ Re	espiratory Infections	
	Wash my hands frequently to prevent infections. Call my health-care provider if I think I have a respiratory infection. Get a flu shot every year, and a pneumonia vaccine if age 65 or older or my health-care provider advises it.	
□ Ph	nysical Activity/Exercise	
	Start slowly, do a good warm up. Ask my health-care provider about taking medicine before exercising or physical exertion at work. Take breaks as needed.	
□ St		
	Practice good general health habits to reduce stress. Avoid stressful situations. Use relaxation exercises and techniques. Take advantage of work breaks and lunch hour.	
□ Сс	old Air/Extreme Heat	
	Cover my mouth and nose with a scarf when outdoors. Avoid being outside when weather is too cold or too hot.	